EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"20050182833" and congestion	US-PGPUB; USPAT	OR	ON	2008/03/03 09:07
L3	3828	709/229.cds.	US-PGPUB; USPAT	OR	ON	2008/03/03 10:55
L4	2276	709/231.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/03 10:55
L5	545	(3 4) and congestion	US-PGPUB; USPAT	OR	ON	2008/03/03 10:55
L6	479	5 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2008/03/03 10:55
L7	189	6 and (packet and maximum) and (encrypt\$3 decrypt\$3 encod\$3 decod\$3 authenticat\$3 cryptograph\$2 compres\$4 decompres\$4 decompres\$4 encapsulat\$4 tunnel vpn)	US-PGPUB; USPAT	OR	ON	2008/03/03 10:56
L8	715	709/235.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/03 10:56
L9	181	8 and (packet and maximum) and (encrypt\$3 decrypt\$3 encod\$3 decod\$3 authenticat\$3 cryptograph\$2 compres\$4 decompres\$4 de- compres\$4 encapsulat\$4 tunnet vpn)	US-PGPUB; USPAT	OR	ON	2008/03/03 10:56
L10	453	709/240.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/03 11:02
L11	6289	(3 4 8 10) and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2008/03/03 11:03
L12	1056	11 and (packet and maximum) and (encrypt\$3 decrypt\$3 encod\$3 decod\$3 authenticat\$3 cryptograph\$2 compres\$4 decompres\$4 decompres\$4 tencapsulat\$4 tunnel vpn)	US-PGPUB; USPAT	OR	ON	2008/03/03 11:03

L13	0	[(3 4 8 10) and (interface and maximum and (decrypt\$3 encod\$3 authenticat \$3 cryptograph\$2 compres \$4 encapsulat\$4 tunnel secure ssl vpn) and policy and encrypt\$4 and (reorder order) and packet and connection and quality and bandwidth), clm.	US-PGPUB; USPAT	OR	ON	2008/03/03 11:12
L14	0	((interface and maximum and (decrypt§3 encod\$3 decod\$3 authenticat§3 cryptograph\$2 compres\$4 decompres\$4 encapsulat§4 tunnel secure ssl vpn) and policy and encrypt§4 and (reorder order) and packet and connection and quality and bandwidth).clm.	US-PGPUB; USPAT	OR	ON	2008/03/03 11:14
L15	3333	(3 4 8 9 10) and sequence	US-PGPUB; USPAT	OR	ON	2008/03/03 11:15
L16	112	9 and sequence	US-PGPUB; USPAT	OR	ON	2008/03/03 11:16
L17	1657	(interface and maximum and (decrypt\$3 enood\$3 deood\$3 authenticat\$3 cryptograph\$2 compres\$4 decompres\$4 encapsulat\$4 tunnel secure ssl vpn) and policy and encrypt\$4 and (reorder order) and packet and connection and quality and bandwidth)	US-PGPUB; USPAT	OR	ON	2008/03/03 11:16
L18	0	(interface same maximum same (decrypt\$3 encod\$3 decod\$3 authenticat\$3 cryptograph\$2 compres\$4 decompres\$4 de-compres\$4 encapsulat\$4 tunnel secure ssl vpn) same policy same encrypt\$4 same (reorder order) same packet same connection and quality and bandwidth)	US-PGPUB; USPAT	OR	ON	2008/03/03 11:17
L19	4609	(interface same maximum same (decrypt\$3 encod\$3 decod\$3 authenticat\$3 cryptograph\$2 compres\$4 decompres\$4 de-compres\$4 encapsulat\$4 tunnel secure ssl vpn)	US-PGPUB; USPAT	OR	ON	2008/03/03 11:20

L20	1	19 same (policy same encrypt \$4 same (reorder order))	US-PGPUB; USPAT	OR	ON	2008/03/03 11:21
L21	52	(DUFFLE HANNOCK OCHMANSKI).in.	US-PGPUB; USPAT	OR	ON	2008/03/03 11:50
L22	1	21 and (maximum and packet).clm.	US-PGPUB; USPAT	OR	ON	2008/03/03 11:50
L23	5	21 and (packet).clm.	US-PGPUB; USPAT	OR	ON	2008/03/03 11:51
S1	1256	709/200.cds.	US-PGPUB; USPAT	OR	ON	2005/08/09 09:57
S2	1397	709/231.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/09 09:58
S3	2462	709/229.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/09 09:58
S4	0	(ip and (qos (quality near4 service)) and encrypt\$3).ti.	US-PGPUB; USPAT	OR	ON	2005/08/09 09:59
S5	3	(ip and (qos (quality near4 service)) and encrypt\$3).ab.	US-PGPUB; USPAT	OR	ON	2005/08/09 10:00
S6	3	S5 and @ad<"20040120"	US-PGPUB; USPAT	OR	ON	2006/06/15 15:00
S7	64	709/245.ccls. and (voip (voice near4 ip))	US-PGPUB; USPAT	OR	ON	2005/08/09 10:10
S8	15	S7 and encrypt\$3	US-PGPUB; USPAT	OR	ON	2005/08/09 10:01
S9	13	S8 and @ad<"20040120"	US-PGPUB; USPAT	OR	ON	2005/08/09 10:09
S10	0	(rout\$3 and queue and encrypt\$3 and ip and bandwidth).ab.	US-PGPUB; USPAT	OR	ON	2005/08/09 10:09
S11	0	(rout\$3 and queue and encrypt\$3 and ip).ab.	US-PGPUB; USPAT	OR	ON	2005/08/09 10:09
S12	29	(rout\$3 and encrypt\$3 and ip).ab.	US-PGPUB; USPAT	OR	ON	2005/08/09 10:09
S13	28	S12 and @ad< "20040120"	US-PGPUB; USPAT	OR	ON	2005/08/09 10:09
S14	9	S13 and (voip (voice near4 ip))	US-PGPUB; USPAT	OR	ON	2005/08/09 10:36
S15	2	S14 and queu\$3	US-PGPUB; USPAT	OR	ON	2005/08/09 11:45
S16	1	"20030093563" and queu\$3 and qos	US-PGPUB; USPAT	OR	ON	2005/08/09 13:03
S17	1	"20030093563" and bandwidth and destination	US-PGPUB; USPAT	OR	ON	2005/08/09 13:03
S18	1	"20030093563" and (encrypt \$3 decrypt\$3 encod\$3 decod \$3 authenticat\$3)	US-PGPUB; USPAT	OR	ON	2006/02/09 10:17

S19	5	(US-20020116464-\$ or US- 20020032797-\$ or US- 20030086411-\$ or US- 20030093563-\$) did. or (US- 6496867-\$) did.	US-PGPUB; USPAT	OR	ON	2006/06/15 14:47
S20	4	S19 and (packet with number)	US-PGPUB; USPAT	OR	ON	2006/06/15 14:55
S21	20	(encrypt\$3 with packet with sequenc\$3).ab.	US-PGPUB; USPAT	OR	ON	2006/06/15 16:48
S22	17	S21 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2006/06/15 16:49
\$23	12	(US-20020116464-\$ or US- 20020032797-\$ or US- 200300986411-\$ or US- 20030093563-\$ or US- 20020129243-\$ or US- 20030051130-\$ or US- 200300115341-\$ or US- 200300131233-\$ or US- 20040088648-\$ or US- 20040088648-\$ or US- 3040088648-\$ or US- 304088687-\$ or US-7006628- \$ 0.00088648-\$ or US-7006628-	US-PGPUB; USPAT	OR	ON	2006/06/15 15:39
S24	3	S23 and queu\$3	US-PGPUB; USPAT	OR	ON	2006/06/15 16:00
S2 5	1	"20030051130" and sequence	US-PGPUB; USPAT	OR	ON	2007/08/24 16:02
S2 6	1	(encrypt\$3 with packet with sequenc\$3) and (queu\$3 with connection with secur \$3)	US-PGPUB; USPAT	OR	ON	2006/06/15 16:49
S27	7	(encrypt\$3 with packet with sequenc\$3) and (queu\$3 with connection)	US-PGPUB; USPAT	OR	ON	2006/06/15 16:49
S28	6	\$27 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2006/06/16 08:13
S2 9	123	(queu\$3 near5 secure)	US-PGPUB; USPAT	OR	ON	2006/06/16 08:13
S30	15	S29 and cryptograph\$2	US-PGPUB; USPAT	OR	ON	2006/06/16 08:13
S31	14	S30 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2006/10/30 17:42
S32	4	S31 and rout\$3	US-PGPUB; USPAT	OR	ON	2006/06/16 08:35
S33	1	"6189103".pn. and queu\$3	US-PGPUB; USPAT	OR	ON	2006/06/16 08:35
S34	1	"20030051130" and (packet with encrypt\$4)	US-PGPUB; USPAT	OR	ON	2006/06/16 10:00

S35	1	"6795920".pn. and queu\$3	US-PGPUB; USPAT	OR	ON	2006/06/16 10:33
S36	116	(US-20030115341-\$ or US-20040068648-\$ or US-20030131233-\$ or US-20030131233-\$ or US-20020129243-\$ or US-200200132943-\$ or US-20020016464-\$ or US-20040153643-\$ or US-2003008641-\$ or US-2003008611-\$ or US-20030085130-\$), did. or (US-6496867-\$ or US-6189103-\$ or US-6795920-\$ or US-682684-\$ or US-6725371-\$), did.	US-PGPUB; USPAT	OR	ON	2006/10/30
S37	3	S36 and (secure with connection)	US-PGPUB; USPAT	OR	ON	2006/10/30 17:42
S38	657	ip with secure with connection	US-PGPUB; USPAT	OR	ON	2006/10/30 17:42
S3 9	127	S38 and encryp\$5 and packet and quality	US-PGPUB; USPAT	OR	ON	2006/10/30 17:42
S40	108	S39 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2006/10/30 18:15
S41	23	S40 and (encrypt\$4 with packet)	US-PGPUB; USPAT	OR	ON	2006/10/30 17:49
S42	8	S41 and ((order\$3 reorder \$3) with packet)	US-PGPUB; USPAT	OR	ON	2006/10/30 17:50
S43	6	S42 and router	US-PGPUB; USPAT	OR	ON	2006/10/30 17:56
S44	4	("4803726" "5404394" "5426643" "5636208").PN.	US-PGPUB; USPAT	OR	ON	2006/10/30 17:59
S45	1	"20050182833"	US-PGPUB; USPAT	OR	ON	2006/10/30 18:11
S46	3	S36 and (router with interface)	US-PGPUB; USPAT	OR	ON	2006/10/30 18:11
S47	2333	(router with interface with (out\$5 egress))	US-PGPUB; USPAT	OR	ON	2006/10/30 18:14
S48	26	S47 and (ip with (tunnel\$3 secure) with connection)	US-PGPUB; USPAT	OR	ON	2006/10/30 18:14
S49	23	S48 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2007/04/03 11:14
S50	7	S49 and (encrypt\$5 with packet)	US-PGPUB; USPAT	OR	ON	2006/10/30 18:25
S51	1	"20020031126" and (secure and connection)	US-PGPUB; USPAT	OR	ON	2006/10/30 18:30
S52	1	"20020031126" and (secure with connection)	US-PGPUB; USPAT	OR	ON	2006/10/30 18:34

S53	0	"20020031126" and (sequenc)	US-PGPUB; USPAT	OR	ON	2006/10/30 18:36
S54	1	"20020031126" and (sequence\$3)	US-PGPUB; USPAT	OR	ON	2006/10/31 12:46
S55	1	"20020031126" and (queu \$3)	US-PGPUB; USPAT	OR	ON	2006/10/31 12:51
S56	1	"20020031126" and (queu\$3 and quality)	US-PGPUB; USPAT	OR	ON	2006/10/31 13:32
S57	1	"20020031126" and (reorder \$3 order\$3)	US-PGPUB; USPAT	OR	ON	2006/10/31 12:56
S58	1	"20020031126" and (bandwidth)	US-PGPUB; USPAT	OR	ON	2006/10/31 12:56
S59	1	"20020031126" and (queu\$3 and (quality qos))	US-PGPUB; USPAT	OR	ON	2006/10/31 13:04
S 60	1	"20020031126" and (packet)	US-PGPUB; USPAT	OR	ON	2006/10/31 13:05
S61	1	"20020031126" and (packet and cryptographic)	US-PGPUB; USPAT	OR	ON	2006/10/31 13:28
S62	1	"20020031126" and (cryptographic)	US-PGPUB; USPAT	OR	ON	2006/10/31 13:28
S63	0	"20020031126" and (queu\$3 same cryptographic)	US-PGPUB; USPAT	OR	ON	2006/10/31 13:32
S64	1	"20020031126" and (queu\$3 and cryptographic)	US-PGPUB; USPAT	OR	ON	2006/10/31 13:32
S 65	3	(US-20040141616-\$ or US- 20020031126-\$).did. or (US- 7111163-\$).did.	US-PGPUB; USPAT	OR	ON	2006/10/31 13:35
S 66	1	S65 and tunnel	US-PGPUB; USPAT	OR	ON	2006/10/31 13:47
S67	1	"7111163".pn. and (connection same tunnel)	US-PGPUB; USPAT	OR	ON	2006/10/31 13:47
S68	1	"20020031126" and router	US-PGPUB; USPAT	OR	ON	2007/04/03 09:51
S69	1	"20020031126" and cryptographic	US-PGPUB; USPAT	OR	ON	2007/04/03 09:51
S70	21	(US-20020031126-\$ or US- 20030093563-\$ or US- 200300986411-\$ or US- 20020032797-\$ or US- 20020116464-\$ or US- 200201153643-\$ or US- 20020129243-\$ or US- 20040068648-\$ or US- 20030115341-\$ or US- 20030011531130-\$ or US- 20030011531130-\$ or US- 200400141616-\$ or US- 20040123112-\$ or US- 20040123112-\$ or US- 20040123115-\$ or US-	US-PCPUB; USPAT	OR	ON	2007/04/03 10:15

	***************************************	6496867-\$ or US-7006628-\$ or US-6826684-\$ or US-6725371-\$ or US-6795920-\$ or US-6189103-\$ or US-7111163-\$).did.		***************************************		
S71	3	((encrypt\$3 encod\$3 authenticat\$3 cryptograph\$2 compres\$4 encapsulat\$4) with queu\$3) and S70	US-PGPUB; USPAT	OR	ON	2007/04/03 11:13
S72	3595	((encrypt\$3 encod\$3 authenticat\$3 cryptograph\$2 compres\$4 encapsulat\$4) with queu\$3)	US-PGPUB; USPAT	OR	ON	2007/04/03 11:13
S73	1217	S72 and router	US-PGPUB; USPAT	OR	ON	2007/04/03 11:14
S74	109	S73 and reorder\$3	US-PGPUB; USPAT	OR	ON	2007/04/03 11:15
S75	74	S74 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2007/08/24 16:01
S76	8	S75 and cryptographic	US-PGPUB; USPAT	OR	ON	2007/04/03 11:15
S77	1	"20020031126" and router	US-PGPUB; USPAT	OR	ON	2007/08/24 15:55
S78	1	"6725371".pn. and secure	US-PGPUB; USPAT	OR	ON	2007/08/24 15:55
S79	95	(US 20020150048* or US 20040001479* or US 20040001479* or US 20020087685.* or US 20020031086* or US 20020031086* or US 2002003681-\$ or US 2002003681-\$ or US 2002003681-\$ or US 20030014624.* or US 20070014334.* or US 20050089954-\$ or US 20050089954-\$ or US 20050089954-\$ or US 20050089954-\$ or US 200500897871-\$ or US 2006007871-\$ or US 20050097871-\$ or US 200500950995-\$ or US 20050095998-\$ or US 200500149179-\$ or US 200500149798-\$ or US 20050018798-\$ or US 20050018798-\$ or US 2004020319-\$ or US 20040205331-\$ or US 20040205331-\$ or US 20040205393-\$ or US 20040205393-\$ or US 20040205393-\$ or US 20040205059-\$ or US 200402050505-\$ or US 2004001501-\$ or US 20040001501-\$ or US 2004001501-\$	US-PGPUB; USPAT	OR	ON	2007/08/24

20030093476-\$ or US-
20020001302-\$ or US-
20030219029-\$ or US-
20020105910-\$ or US-
20020087709-\$ or US-
20030138061-\$ or US-
20030138001-\$ or US-
20030229708-\$ or US-
20030185174-\$ or US-
20030154328-\$ or US-
20030084108-\$ or US-
20040123112-\$ or US-
20040141616-\$ or US-
20040141010-\$ or US-
20020031126-\$ or US-
20020031126-\$ or US-
20020129243-\$ or US-
20030051130-\$ or US-
20030115341-\$ or US- 20030131233-\$ or US-
20040068648-\$ or US-
20020032797-\$ or US-
20020116464-\$ or US-
20030086411-\$ or US-
20030093563-\$).did. or (US-
7006614-\$ or US-7006532-\$
or US-6757367-\$ or US-
6738821-\$ or US-5706437-\$
or US-5621731-\$ or US-
6498791-\$ or US-6765931-\$
or US-7031316-\$ or US-
6778495-\$ or US-6577596-\$
or US-6549587-\$ or US-
7164678-\$ or US-6975629-\$
or US-6940953-\$ or US-
6721316-\$ or US-6711140-\$
or US-6381242-\$ or US-
5859973-\$ or US-6977930-\$
or US-6920143-\$ or US-
6678244-\$ or US-6654373-\$
or US-7031904-\$ or US-
6813243-\$ or US-6778546-
\$).did. or (US-7099273-\$ or
US-7072971-\$ or US-
6850577-\$ or US-6845105-\$
or US-6731644-\$ or US-
7110434-\$ or US-7000055-\$
or US-6882711-\$ or US-
6882654-\$ or US-6484224-\$
or US-6826684-\$ or US-
6189103-\$ or US-6795920-\$
or US-6725371-\$ or US-
7111163-\$ or US-7006628-\$
or US-6496867-\$).did.

S80	14159	(router with connection)	US-PGPUB; USPAT	OR	ON	2007/08/24 16:01
S81	25	S79 and (router with connection)	US-PGPUB; USPAT	OR	ON	2007/08/24 16:05
S82	25	S81 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2007/08/24 16:35
S83	1	"20050182833"	US-PGPUB; USPAT	OR	ON	2007/08/24 16:02
S84	2	S79 and (router with tunnel)	US-PGPUB; USPAT	OR	ON	2007/08/24 16:31
S85	6729	router.ab.	US-PGPUB; USPAT	OR	ON	2007/08/24 16:31
S86	6	S79 and router.ab.	US-PGPUB; USPAT	OR	ON	2007/08/24 16:34
S87	89	(router with tunnel).ab.	US-PGPUB; USPAT	OR	ON	2007/08/24 16:53
S88	24	S87 and (encryp\$5 crypt\$5)	US-PGPUB; USPAT	OR	ON	2007/08/24 16:34
S89	13	S88 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2007/08/24 16:56
S90	10	S89 and bandwidth	US-PGPUB; USPAT	OR	ON	2007/08/24 16:37
S91	318	(router near4 (connection tunnel)) and (encrypt\$5 crypt \$5) and packet and (sequence number) and queu \$4 and (qos quality) and (bandwidth load)	US-PGPUB; USPAT	OR	ON	2007/08/24 16:55
S92	246	(router near4 (connection tunnel)) and (encrypt\$5 crypt \$5) and packet and (sequence and number) and queu\$4 and (qos quality) and (bandwidth load)	US-PGPUB; USPAT	OR	ON	2007/08/24 16:55
S93	246	(router near4 (connection tunnel)) and (encrypt\$5 crypt \$5) and packet and (sequence near4number) and queu\$4 and (qos quality) and (bandwidth load)	US-PGPUB; USPAT	OR	ON	2007/08/24 16:55
S94	112	(router near4 (connection tunnel)) and (encrypt\$5 crypt \$5) and packet and (sequence near4 number) and queu\$4 and (qos quality) and (bandwidth load)	US-PGPUB; USPAT	OR	ON	2007/08/24 16:55

S95	103	S94 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2007/08/27 16:47
S96	11	S95 and (queu\$3 near4 (tunnel connection))	US-PGPUB; USPAT	OR	ON	2007/08/24 16:58
S97	1	"20020152373" and (router same (encryp\$5 crypt\$5))	US-PGPUB; USPAT	OR	ON	2007/08/27 11:05
S98	0	"20020152373" and (quality qos)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:29
S99	1	"6751729".pn. and (router same (encryp\$5 crypt\$5))	US-PGPUB; USPAT	OR	ON	2007/08/27 11:07
S100	0	"20040252722" and (router same (encryp\$5 crypt\$5))	US-PGPUB; USPAT	OR	ON	2007/08/27 11:07
\$101	95	(US-20020150048-\$ or US- 20040001479-\$ or US- 20020087685-\$ or US- 20020087685-\$ or US- 20020031086-\$ or US- 20020031086-\$ or US- 20020035681-\$ or US- 20020035681-\$ or US- 20020035681-\$ or US- 20030014624-\$ or US- 20030014624-\$ or US- 20030014682-\$ or US- 200500141460-\$ or US- 200500141460-\$ or US- 200500141460-\$ or US- 20050018798-\$ or US- 20050018798-\$ or US- 2005003097-\$ or US- 2005003997-\$ or US- 2005003997-\$ or US- 2005003997-\$ or US- 2005003997-\$ or US- 2005003197-\$ or US- 2004002531-\$ or US- 2004002531-\$ or US- 20040025336-\$ or US- 20040025398-\$ or US- 20040025398-\$ or US- 2004002597-\$ or US- 2004001579-\$ or US- 2004001579-\$ or US- 2004001579-\$ or US- 200300302970-\$ or US- 200302970-\$ or US- 200302970-\$ or US- 20030219970-\$ or US- 20030138061-\$ or US- 20030158174-\$ or US- 20030158112-\$ or US- 2003015812-\$ or US- 2003015813112-\$ or US- 2003015813112-\$ or US- 2003015813112-\$ or US- 2003015813112-\$ or US- 2004014168-\$ or US- 20040168050-\$ or US-	US POPUB; USPAT	OR	ON	2007/08/27

		20020031126-\$ or US- 20040153643-\$ or US- 20040153643-\$ or US- 20030051130-\$ or US- 20030051130-\$ or US- 20030131233-\$ or US- 20030131233-\$ or US- 20040068648-\$ or US- 20020032797-\$ or US- 20020032797-\$ or US- 200300986411-\$ or US- 20030093563-\$). did. or (US- 7006614-\$ or US- 6738821-\$ or US- 675767-\$ or US- 673821-\$ or US- 6757867-\$ or US- 673821-\$ or US- 6759821-\$ or US- 6778495-\$ or US- 657759-\$ or US- 65778495-\$ or US- 65778405-\$ or US- 65783136-\$ or US- 6781140-\$ or US- 671130-\$ or US- 6678244-\$ or US- 688273-\$ or US- 6882654-\$ or US- 6882654-\$ or US- 6882711-\$ or US- 7110434-\$ or US- 7092971-\$ or US- 6882654-\$ or US- 6882711-\$ or US- 6882654-\$ or US- 688795920-\$ or US- 6795920-\$ or US- 67959520-\$ or US- 667959520-\$ or US- 67959520-\$ or US- 67959520-\$ or US- 67959520-\$ or US- 67959520-\$ or US- 6795920-\$ or US- 67959520-\$ or US- 67959520-\$ or US- 67959520-\$ or US				
S102	9	\$101 and (router same (cryp \$5 encryp\$6))	US-PGPUB; USPAT	OR	ON	2007/08/27 11:08
S103	1	"20030051130" and (quality qos)	US-PGPUB; USPAT	OR	ON	2007/08/27 12:00
S104	1	"20030051130" and (sequence and (quality qos))	US-PGPUB; USPAT	OR	ON	2007/08/27 16:23
S105	1	"20030051130" and (sequence same (cryp\$5 encryp\$5))	US-PGPUB; USPAT	OR	ON	2007/08/27 16:05
S106	1	"20030051130" and priorit\$6	US-PGPUB; USPAT	OR	ON	2007/08/27 16:33
S107	1	"20030051130" and (cryp\$5 encrypt\$5)	US-PGPUB; USPAT	OR	ON	2007/08/28 09:12

S108	21	(router same (crypt\$5 encryp \$5) same tunnel) and (maximum with bandwidth)	US-PGPUB; USPAT	OR	ON	2007/08/27 16:51
S109	19	S108 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2007/08/27 16:53
S110	1	"6092113".pn. and bandwidth	US-PGPUB; USPAT	OR	ON	2007/08/27 16:50
S111	141	(router same (crypt\$5 encryp \$5)) and (maximum with bandwidth)	US-PGPUB; USPAT	OR	ON	2007/08/27 16:52
S112	32	S111 and queu\$3 and sequence	US-PGPUB; USPAT	OR	ON	2007/08/27 16:52
S113	29	S112 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2007/08/27 16:53
S114	1	"20030051130" and (sequence same (cryp\$5 encrypt\$5))	US-PGPUB; USPAT	OR	ON	2007/08/28 09:16
S115	1	"20030051130" and ("206" same (cryp\$5 encrypt\$5))	US-PGPUB; USPAT	OR	ON	2007/08/28 09:16
S116	1	"20030093563" and (crypt\$5 encrypt\$5)	US-PGPUB; USPAT	OR	ON	2007/08/28 11:52
S117	1	"6092113".pn. and (vpn same router)	US-PGPUB; USPAT	OR	ON	2007/08/28 11:34
S118	1	"6092113".pn. and interface	US-PGPUB; USPAT	OR	ON	2007/08/28 11:34
S119	1	"20030093563" and interface	US-PGPUB; USPAT	OR	ON	2007/08/28 11:52
S120	1	"6092113".pn. and vpn	US-PGPUB; USPAT	OR	ON	2007/08/31 09:44
S121	12	serrao.xa.	US-PGPUB; USPAT	OR	ON	2008/02/25 08:48
S122	1	"20050182833"	US-PGPUB; USPAT	OR	ON	2008/02/25 11:05
S123	1	"20030051130" and encrypt \$5	US-PGPUB; USPAT	OR	ON	2008/02/25 13:54
S124	43	(router same (encrypt\$3 decrypt\$3 encod\$3 decod\$3 authenticat\$3 cryptograph\$2 compres\$4 decompres\$4 encapsulat\$4 tunnel secure sel ypn) same queu\$3 same packet same bandwidth)	US-PGPUB; USPAT	OR	ON	2008/02/28 10:23
S125	34	S124 and (@rlad<"20040120" @ad<"20040120")	US-PGPUB; USPAT	OR	ON	2008/02/28 10:31

S126	21	S125 and congestion	US-PGPUB; USPAT	OR	 2008/02/28 10:38
S127	13	S125 and (congestion with (router switch bridge gateway))	US-PGPUB; USPAT	OR	 2008/02/28 10:39

^{3/3/2008 12:48:05} PM

C:\ Documents and Settings\ rserrao\ My Documents\ EAST\ Workspaces\ 10759182 J B Duffie. wsp